

Work Order ID 110953

110953

Page 1

February-13-14 1:21:20 PM

Item ID: D4093-3

Accept

N900040100

Setup Start *NS1*

Revision ID:

Item Name: Bracket

Stop *NS2*

Start Date: 08/01/2014 Start Qty: 20.00

10
20

Cust Item ID:

Required Date: 08/01/2014 Req'd Qty: 20.00

20

Customer:

Reference:

Approvals:

Process Plan: AA

Date: 14-02-13

Tooling:

Date:

Run Start *NR1*

QC:

Date:

SPC (Y/N):

Date:

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D4093	D								

110

0.00

110

Waterjet

Memo

0.00

FLOW CNC Waterjet

CUT AS DWG

DWG REV: -

PROG REV: -

ISSUE PO P023011

POSSIBLE SUPPLIER: LOEBSACK WATERJET

HOLES WILL BE MADE ON MILLING

****DEBURR****

umb 2/12/14

115

Receive & Inspect for Damage & Mat'l Certs

0.00

115

Packaging

Memo

0.00

Packaging

44/4/13 10
PB >

DQA:

Date: 14/06/24



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: ☒

Date: 14/6/10

Work Order update only ☐

Work Order: <u>110953</u>	DISPOSITION Rework <input checked="" type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Suspected Unapproved <input type="checkbox"/>	AGAINST DEPARTMENT/PROCESS			
Part No. <u>D4093-3</u>		Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>
NCR No. <u>143946</u>		Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>
		Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>
		Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>	

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator	14/04/16	130	X 20	0.080" holes found to be elongated to 0.101" x 0.080"	DAS 16 9-89	Drill holes out to 0.100" in DTA as per attached Email/ From DARTOS + Debur.		DAS 27 9-89	DAS 16 9-89
Offset/Setup				Re. supplier / water jet distortion cannot hold high accuracy on small holes. / was on DART DFX program.	14/04/16	Remove 0.080" hole from water jet program + perform by manual milling	14/05/15	14/05/12	14/04/16
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric <input type="checkbox"/> Cracks <input type="checkbox"/> Crimp/Kink/Ripple/Wave <input type="checkbox"/> Cuffs <input type="checkbox"/> Crushing <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Marks/Chatter <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube	General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damage/Defect <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drawing <input type="checkbox"/> Drill Holes <input type="checkbox"/> Finish <input type="checkbox"/> Fit/Function	<input checked="" type="checkbox"/> Folio/Program <input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete/Unqualified <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Misaligned/off center <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Off-set <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence	<input type="checkbox"/> Outside Dimensions <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge	<input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Set-up <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input checked="" type="checkbox"/> Other
--	--	--	--	---

Program + DFXs were not removed to ensure this like this were removed

Work Order ID 110953

February-13-14 1:21:20 PM

110953

Page 2

Item ID: D4093-3

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Bracket

Start Date: 08/01/2014 Start Qty: 20.00

20

Cust Item ID:

Required Date: 08/01/2014 Req'd Qty: 20.00

20

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
125 *125* QC Quality Control	QC6- Inspect dimensions to drawing Memo	0.00 0.00				10			
126 *126* Small Fab Small Fab	Small Fab DEBURR A/R Memo	0.00 0.00			DAS 30 9-89 N/A				
130 *130* Mill Conv Conventional Milling Machine	Mill Conv DRILL AND C'SINK AS PER DWG Memo	0.00 0.00				10	5		1405-04

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Suspected Unapproved <input type="checkbox"/>	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube <input type="checkbox"/></td> <td>Crosstube <input type="checkbox"/></td> <td>Water Jet <input type="checkbox"/></td> <td>Engineering <input type="checkbox"/></td> </tr> <tr> <td>Machining <input type="checkbox"/></td> <td>Small Fab <input type="checkbox"/></td> <td>Prod. Eng. Coord. <input type="checkbox"/></td> <td>Quality <input type="checkbox"/></td> </tr> <tr> <td>Thermoforming <input type="checkbox"/></td> <td>Finishing <input type="checkbox"/></td> <td>Rec/Store/Packaging <input type="checkbox"/></td> <td>Other <input type="checkbox"/></td> </tr> <tr> <td>Large Fab <input type="checkbox"/></td> <td>Composite <input type="checkbox"/></td> <td>Supplier <input type="checkbox"/></td> <td></td> </tr> </table>	Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>	Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>	Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>	Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>	
Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>															
Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>															
Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>															
Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY

Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric <input type="checkbox"/> Cracks <input type="checkbox"/> Crimp/Kink/Ripple/Wave <input type="checkbox"/> Cuffs <input type="checkbox"/> Crushing <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Marks/Chatter <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube	General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damage/Defect <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drawing <input type="checkbox"/> Drill Holes <input type="checkbox"/> Finish <input type="checkbox"/> Fit/Function	<input type="checkbox"/> Folio/Program <input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete/Unqualified <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Misaligned/off center <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Off-set <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence	<input type="checkbox"/> Outside Dimensions <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge <input type="checkbox"/> Pressure/Forced Set-up <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other _____ _____ _____
--	--	---	---

February-13-14 1:21:20 PM

Page 3

0.00

Hand Finishing

B.a 14/05/06

10 ~~8~~ 82140504

10 0

DAS
08
9-89

10 761455

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Suspected Unapproved <input type="checkbox"/>	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube <input type="checkbox"/></td> <td>Crosstube <input type="checkbox"/></td> <td>Water Jet <input type="checkbox"/></td> <td>Engineering <input type="checkbox"/></td> </tr> <tr> <td>Machining <input type="checkbox"/></td> <td>Small Fab <input type="checkbox"/></td> <td>Prod. Eng. Coord. <input type="checkbox"/></td> <td>Quality <input type="checkbox"/></td> </tr> <tr> <td>Thermoforming <input type="checkbox"/></td> <td>Finishing <input type="checkbox"/></td> <td>Rec/Store/Packaging <input type="checkbox"/></td> <td>Other <input type="checkbox"/></td> </tr> <tr> <td>Large Fab <input type="checkbox"/></td> <td>Composite <input type="checkbox"/></td> <td>Supplier <input type="checkbox"/></td> <td></td> </tr> </table>	Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>	Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>	Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>	Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>	
Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>															
Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>															
Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>															
Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>																

Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design <input type="checkbox"/>									
Doc/Data <input type="checkbox"/>									
Equip/Tooling <input type="checkbox"/>									
Handling/Pre <input type="checkbox"/>									
Material <input type="checkbox"/>									
Operator <input type="checkbox"/>									
Offset/Setup <input type="checkbox"/>									
Process <input type="checkbox"/>									
Supplier <input type="checkbox"/>									
Training <input type="checkbox"/>									
Transport <input type="checkbox"/>									
Unapproved <input type="checkbox"/>									

FAULT CATEGORY

Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric <input type="checkbox"/> Cracks <input type="checkbox"/> Crimp/Kink/Ripple/Wave <input type="checkbox"/> Cuffs <input type="checkbox"/> Crushing <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Marks/Chatter <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube	General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damage/Defect <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drawing <input type="checkbox"/> Drill Holes <input type="checkbox"/> Finish <input type="checkbox"/> Fit/Function	<input type="checkbox"/> Folio/Program <input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete/Unqualified <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Misaligned/off center <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Off-set <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence
		<input type="checkbox"/> Outside Dimensions <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge
		<input type="checkbox"/> Pressure/Forced Set-up <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other

Work Order ID 110953

110953

Page 4

February-13-14 1:21:20 PM

Item ID: D4093-3 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Bracket
 Start Date: 08/01/2014 Start Qty: 20.00 *20* Cust Item ID:
 Required Date: 08/01/2014 Req'd Qty: 20.00 *20* Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start *NR1*
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160	QC7-Inspect Chemical Conversion Coat	0.00							
160						10	8	OP	14/05/06
QC	Memo	0.00							
Quality Control									
170	Identify as per dwg & Stock Location: <u>ST270</u>	0.00							
170						10X	28	300	MAY 06 2023
Packaging	Memo	0.00							
Packaging									
180	QC21- Final Inspection - Work Order Release	0.00							
180						MLJ	14-05-08		
QC	Memo	0.00							
Quality Control									

[Handwritten signature] 14-05-07

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____				DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Suspected Unapproved <input type="checkbox"/>		AGAINST DEPARTMENT/PROCESS <div style="display: flex; justify-content: space-between;"> <div> Skid-tube <input type="checkbox"/> Machining <input type="checkbox"/> Thermoforming <input type="checkbox"/> Large Fab <input type="checkbox"/> </div> <div> Crosstube <input type="checkbox"/> Small Fab <input type="checkbox"/> Finishing <input type="checkbox"/> Composite <input type="checkbox"/> </div> <div> Water Jet <input type="checkbox"/> Prod. Eng. Coord. <input type="checkbox"/> Rec/Store/Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> </div> <div> Engineering <input type="checkbox"/> Quality <input type="checkbox"/> Other <input type="checkbox"/> </div> </div>					
Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector		
Design											
Doc/Data											
Equip/Tooling											
Handling/Pre											
Material											
Operator											
Offset/Setup											
Process											
Supplier											
Training											
Transport											
Unapproved											

FAULT CATEGORY			
Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric <input type="checkbox"/> Cracks <input type="checkbox"/> Crimp/Kink/Ripple/Wave <input type="checkbox"/> Cuffs <input type="checkbox"/> Crushing <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Marks/Chatter <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube	General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damage/Defect <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drawing <input type="checkbox"/> Drill Holes <input type="checkbox"/> Finish <input type="checkbox"/> Fit/Function	<input type="checkbox"/> Folio/Program <input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete/Unqualified <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Misaligned/off center <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Off-set <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence	<input type="checkbox"/> Outside Dimensions <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge <input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Set-up <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other

Picklist Print

February-13-14 1:21:25 PM

Page 1

Work Order ID: 110953

110953

Parent Item: D4093-3

D4093-3

Parent Item Name: Bracket

Start Date: 08/01/2014

Required Date: 08/01/2014

Start Qty: 20.00

Required Qty: 20.00

Comments: IPP REV:A NEW ISSUE 10-10-04 JLM VERIFIED BY:DD IPP
REV:B AS PER ECN 11-598 11-06-05 JLM VERIFIED
BY:DD IPP REV:B
AS PER REV C 11.09.28 JLM VERIFIED BY:DD IPP REV:C 12.10.31
AS PER DWG REV.C DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D4093-3P		Purchased	No				Each	0.0000		20			
D4093-3P									**				
Bracket													

Supply 10

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____


Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Suspected Unapproved <input type="checkbox"/>	AGAINST DEPARTMENT/PROCESS <div style="display: flex; justify-content: space-between;"> <div> Skid-tube <input type="checkbox"/> Machining <input type="checkbox"/> Thermoforming <input type="checkbox"/> Large Fab <input type="checkbox"/> </div> <div> Crosstube <input type="checkbox"/> Small Fab <input type="checkbox"/> Finishing <input type="checkbox"/> Composite <input type="checkbox"/> </div> <div> Water Jet <input type="checkbox"/> Prod. Eng. Coord. <input type="checkbox"/> Rec/Store/Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> </div> <div> Engineering <input type="checkbox"/> Quality <input type="checkbox"/> Other <input type="checkbox"/> </div> </div>
--	--	---


Root Cause	Date	Step	Qty	Description of work order update or non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Design									
Doc/Data									
Equip/Tooling									
Handling/Pre									
Material									
Operator									
Offset/Setup									
Process									
Supplier									
Training									
Transport									
Unapproved									

FAULT CATEGORY


Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric <input type="checkbox"/> Cracks <input type="checkbox"/> Crimp/Kink/Ripple/Wave <input type="checkbox"/> Cuffs <input type="checkbox"/> Crushing <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Marks/Chatter <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube	General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damage/Defect <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drawing <input type="checkbox"/> Drill Holes <input type="checkbox"/> Finish <input type="checkbox"/> Fit/Function	<input type="checkbox"/> Folio/Program <input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete/Unqualified <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Misaligned/off center <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Off-set <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence	<input type="checkbox"/> Outside Dimensions <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge <input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Set-up <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other _____ _____ _____
--	--	---	---



110953 MP
14-01-10



SECTION VIEW A-A D6-1



RELEASED
2012-10-31



NOTES:

- 1) MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
PER QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160)
OR ASTM B211 OR ASTM B221
OR 6061-T6/T62 ALUMINUM SHEET
PER QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027
OR ASTM B209
REF DART SPEC. M6061T6B/M6061T6S
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.55 lbs

D4093-1 BRACKET

D	ADD $\phi 0.080$ HOLES (ZN B5-2, B5-4)	RF	12.09.18
C	REDRAWN D4093-1/-3 (ZN B4-1, B4-2); ADD MATERIAL NOTES (ZN A8-1, A8-3, A8-5)	RF	11.07.27
B	REDRAWN D4093-1/-3 (ZN B4-1, B4-2)	RF	11.01.31
A	NEW ISSUE	RF	10.09.16
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE USA, INC. KENT, WA	
DRAWN	RF		
CHECKED	RF		
MFG. APPR.	RF		
APPROVED	RF		
DE APPR.	RF	DRAWING NO. D4093 TITLE BRACKET	
DATE	12.09.18	REV. D SHEET 1 OF 5 SCALE NTS	




COPYRIGHT © 2010 BY DART AEROSPACE USA, INC.
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.



D4093-1 BRACKET

RELEASED
2012-10-31
MM

DESIGN	RF	DART AEROSPACE USA, INC. KENT, WA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. D
MFG. APPR.	<i>[Signature]</i>	D4093	SHEET 2 OF 5
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	BRACKET	NTS
DATE	12.09.18	<small>COPYRIGHT © 2010 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS COVENANT THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	



D4093-3 BRACKET



SECTION VIEW B-B B5-3

NOTES:

- 1) MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
PER QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160)
OR ASTM B211 OR ASTM B221
OR 6061-T6/T62 ALUMINUM SHEET
PER QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027
OR ASTM B209
REF DART SPEC. M6061T6B/M6061T6S
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.64 lbs"

RELEASED
2012-10-31
AM



DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	RF	KENT, WA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. D
MFG. APPR.	<i>[Signature]</i>	D4093	SHEET 3 OF 5
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	BRACKET	NTS
DATE	12.09.18	<small>COPYRIGHT © 2010 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	



D4093-3 BRACKET

RELEASED
2012-10-31

DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	RF	KENT, WA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. D
MFG. APPR.	<i>[Signature]</i>	D4093	SHEET 4 OF 5
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	BRACKET	NTS.
DATE	12.09.18	<small>COPYRIGHT © 2010 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMPILED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	



D4093-5 BRACKET

NOTES:

- 1) MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR
PER QQ-A-225/8 OR AMS-QQ-A-225/8 (OR AMS 4117/4128/4115/4116)
OR QQ-A-200/8 OR AMS-QQ-A-200/8 (OR AMS 4160)
OR ASTM B211 OR ASTM B221
OR 6061-T6/T62 ALUMINUM SHEET
PER QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027
OR ASTM B209
REF DART SPEC. M6061T6B/M6061T6S
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.06 lbs

RELEASED
2012-10-31

DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	RF	KENT, WA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. D
MFG. APPR.	<i>[Signature]</i>	D4093	SHEET 5 OF 5
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	BRACKET	NTS
DATE	12.09.18	<small>COPYRIGHT © 2010 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR DISCLOSED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO23011

Purchase Order Date 2/14/2014

PO Print Date 2/14/2014

Page Number 3 of 9

Order From :
LOEBSACK WATERJET CANADA LTD.
55 NORTHFIELD DR. E.
P.O.BOX 339

VC-LWC001

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

WATERLOO, ONTARIO N2K 3T6

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: FedEx PI collect

Ship Acct:

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Michael Gregoire

10127-2607

Net 30

CAD

FCA - (Free Carrier)

Line Total: \$385.00

D3319-1P	Forward Wearplate	3/28/2014	20.00	✓	\$7.50	\$150.00
		Yes	Each			
		3/28/2014				

Manufacture as per Drawing D3319 rev.c
B112531

Line Total: \$150.00

D4093-1P	Bracket	3/28/2014	20.00	✓	\$23.95	\$479.00
		Yes	Each			
		3/28/2014				

Manufacture as per drawing D4093 rev.d
B112319

Line Total: \$479.00

D4093-3P	Bracket	3/28/2014	20.00	✓	\$23.95	\$479.00
		Yes	Each			
		3/28/2014				

Manufacture as per drawing D4093 rev.d
B110953

Instructions: PROCUREMENT QUALITY CLAUSES

- A005 RIGHT OF ENTRY
- A008 FIRST ARTICLE INSPECTION (FAI) BY SELLER, (DOCUMENTATION SENT TO DART AEROSPACE)
- A012 CHEMICAL AND PHYSICAL TEST REPORTS
- A016 PERSONNEL QUALIFICATION
- A017 RAW MATERIAL IDENTIFICATION (AS APPLICABLE)
- A026 CERTIFICATION OF MATERIAL CONFORMANCE
- A042 DART NOTIFICATION BY SUPPLIER

Note:



55 Northfield Dr., E., Box 339
Waterloo, On. N2K 3T6
(519)570-6590
F. (519)893-4252

Certificate of Compliance

Sold To: DART Aerospace

Purchase Order Nu ID PO23011

Item	Quantity	Part Number	Revision	Description	Mtl. / Thk.	HT Number
18(4)	60	D3065-1	b	STEP SPACER	2024-T3 / 0.040"	663172A5
19(5)	100	D3065-3	b	STEP SPACER	2024-T3 / 0.040"	663172A5
21(7)	60	D3065-7	b	STEP SPACER	2024-T3 / 0.040"	663172A5
20(6)	110	D3065-5	b	STEP LEG	5052-H32 / 0.080"	3C5291
9(8)	20	D4093-1	d	BRACKET	6061-T6 / 0.750"	37797032
10(9)	10	D4093-3	d	BRACKET	6061-T6 / 0.750"	37797032
8(2)	20	D3319-1	c	WEARPLATE	CRS 18GA / 0.048"	3683T3-51
7(1)	20	D3319-3	c	WEARPLATE	CRS 18GA / 0.048"	3683T3-51
22(3)	120	D3537-1F	c	WEARPAD	304 SS / 0.063"	A1303988
11(10)	40	D3405-1F	b	GHW BRACKET	304 SS / 0.120"	350420

This is to certify that the whole of the supplies detailed hereon has been inspected, tested, packed, and unless otherwise stated, conform in all respects with the requirements of the contract or order.

Name: Derek Loebsack

Title: President

Sign: 

Dated:

07-14-04

DAS
27
9-89

14/4/06

THYSSENKRUPP MATERIALS NA

J.M. WOODTURNING LTD

ALUMINUM PLATE 6061-T651
750" THICK X 48.5000" X 96.5000"
PART NO.

PO/Rel FRED

We certify that this is a true copy of the report
furnished by the producer of the metal, or data
resulting from tests made in approved labs.

Certificate of Mill Test Results

BL PEC-851084-001

19Nov13

Pg 1/1

Signed by: _____

TEST CERTIFICATE



Certificate No: 1209182632

Hulamin Limited Reg. No. 1940129/H/09 Val Reg No. 408143004
HEAD OFFICE: Nuovo Mercato Rd, Pinerolo (TO) 10128, Italy
Telephone: +39 011 565111 Telex: 323 394 6135

BUYER: TA CHEN INTERNATIONAL INC 5855 QUESPO AVE LONG BEACH CA 90805	Hulamin Lot No: H.018323	Product: PLATE HEAT TREATED L1MSHED, 6061-T651 0.75" x 48.5" x 96.5"
	Lot No: 17/08/032CB	Dimension: 0.75" x 48.5" x 96.5"
	PL/lot No: 2/1161413	Alloy - Temper: 6061 - T651
	Release No: RE088558	
	Cust Order No: N03100-S	Certificate No: 1209182632
	HULAMIN Order No: 181742E	Cust Ref/Part No:
	Item Part: 1/1	Combined PL/lot No: R'21842

Case No: PFV871

MECHANICAL TEST RESULTS

Lot No.	Cast No.	Metal Id	Alloy	Spec No	Mechanical Properties							
					Yield Strength (ksi)	UTS (ksi)	Elongation A50 (%)	Entg (%)	Test Date	Gauge Length (inches)	Bend Test	Actual Gauge (inches)
Spec				Min	35.1	42.0	9					0.75
				Max								0.761
17/08/032CB	VAST	37787032	6061	1	41.6	46.7	15		07/09/12	2		0.765
				2	41.6	46.7	15		07/09/12	2		0.765

CHEMICAL COMPOSITION

	Cast No.	Alloy	Si (%)	Fe (%)	Cu (%)	Mn (%)	Mg (%)	Cr (%)	Zn (%)	Ti (%)	Each (%)	Total (%)	Al (%)
Min			0.40		0.15		0.8	0.04					
Max			0.8	0.7	0.40	0.15	1.2	0.35	0.25	0.15	0.05	0.15	
	VAST	6061	0.69	0.44	0.28	0.11	1.01	0.21	0.01	0.012			97.20

CONFORMS TO: AMS 89-209 ASTM B209 TO AMS 4077M AMS-00A-78911, 00.1997

For purposes of determining conformance with these specifications, an observed value or a calculated value shall be rounded "to the nearest unit" in the last right-hand digit used in expressing the specification limit, in accordance with the rounding method of ASTM F760-00a Rev. 1, for Using Significant Digits in Test Data to Determine Conformance with Specifications.

WE HEREBY CERTIFY, THAT THE MATERIAL DESCRIBED ABOVE HAS BEEN TESTED AND COMPLIES WITH THE TERMS OF THE ORDER CONTRACT. THE INSPECTION RESULTS INDICATED IN THE CHEMICAL COMPOSITION HAVE BEEN OBTAINED FROM CAST ANALYSIS.

Dr. A. Pechen (HEAD OF CHEMICAL TESTING)

Ver 1.0.1

V. Minkov (HEAD OF PHYSICAL TESTING)

Printed Date: 10 Nov 2012

Report No. HULAMIN-TEST-001-10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-25-26-27-28-29-30-31-32-33-34-35-36-37-38-39-40-41-42-43-44-45-46-47-48-49-50-51-52-53-54-55-56-57-58-59-60-61-62-63-64-65-66-67-68-69-70-71-72-73-74-75-76-77-78-79-80-81-82-83-84-85-86-87-88-89-90-91-92-93-94-95-96-97-98-99-100-101-102-103-104-105-106-107-108-109-110-111-112-113-114-115-116-117-118-119-120-121-122-123-124-125-126-127-128-129-130-131-132-133-134-135-136-137-138-139-140-141-142-143-144-145-146-147-148-149-150-151-152-153-154-155-156-157-158-159-160-161-162-163-164-165-166-167-168-169-170-171-172-173-174-175-176-177-178-179-180-181-182-183-184-185-186-187-188-189-190-191-192-193-194-195-196-197-198-199-200-201-202-203-204-205-206-207-208-209-210-211-212-213-214-215-216-217-218-219-220-221-222-223-224-225-226-227-228-229-230-231-232-233-234-235-236-237-238-239-240-241-242-243-244-245-246-247-248-249-250-251-252-253-254-255-256-257-258-259-260-261-262-263-264-265-266-267-268-269-270-271-272-273-274-275-276-277-278-279-280-281-282-283-284-285-286-287-288-289-290-291-292-293-294-295-296-297-298-299-300-301-302-303-304-305-306-307-308-309-310-311-312-313-314-315-316-317-318-319-320-321-322-323-324-325-326-327-328-329-330-331-332-333-334-335-336-337-338-339-340-341-342-343-344-345-346-347-348-349-350-351-352-353-354-355-356-357-358-359-360-361-362-363-364-365-366-367-368-369-370-371-372-373-374-375-376-377-378-379-380-381-382-383-384-385-386-387-388-389-390-391-392-393-394-395-396-397-398-399-400-401-402-403-404-405-406-407-408-409-410-411-412-413-414-415-416-417-418-419-420-421-422-423-424-425-426-427-428-429-430-431-432-433-434-435-436-437-438-439-440-441-442-443-444-445-446-447-448-449-450-451-452-453-454-455-456-457-458-459-460-461-462-463-464-465-466-467-468-469-470-471-472-473-474-475-476-477-478-479-480-481-482-483-484-485-486-487-488-489-490-491-492-493-494-495-496-497-498-499-500-501-502-503-504-505-506-507-508-509-510-511-512-513-514-515-516-517-518-519-520-521-522-523-524-525-526-527-528-529-530-531-532-533-534-535-536-537-538-539-540-541-542-543-544-545-546-547-548-549-550-551-552-553-554-555-556-557-558-559-560-561-562-563-564-565-566-567-568-569-570-571-572-573-574-575-576-577-578-579-580-581-582-583-584-585-586-587-588-589-590-591-592-593-594-595-596-597-598-599-600-601-602-603-604-605-606-607-608-609-610-611-612-613-614-615-616-617-618-619-620-621-622-623-624-625-626-627-628-629-630-631-632-633-634-635-636-637-638-639-640-641-642-643-644-645-646-647-648-649-650-651-652-653-654-655-656-657-658-659-660-661-662-663-664-665-666-667-668-669-670-671-672-673-674-675-676-677-678-679-680-681-682-683-684-685-686-687-688-689-690-691-692-693-694-695-696-697-698-699-700-701-702-703-704-705-706-707-708-709-710-711-712-713-714-715-716-717-718-719-720-721-722-723-724-725-726-727-728-729-730-731-732-733-734-735-736-737-738-739-740-741-742-743-744-745-746-747-748-749-750-751-752-753-754-755-756-757-758-759-760-761-762-763-764-765-766-767-768-769-770-771-772-773-774-775-776-777-778-779-780-781-782-783-784-785-786-787-788-789-790-791-792-793-794-795-796-797-798-799-800-801-802-803-804-805-806-807-808-809-810-811-812-813-814-815-816-817-818-819-820-821-822-823-824-825-826-827-828-829-830-831-832-833-834-835-836-837-838-839-840-841-842-843-844-845-846-847-848-849-850-851-852-853-854-855-856-857-858-859-860-861-862-863-864-865-866-867-868-869-870-871-872-873-874-875-876-877-878-879-880-881-882-883-884-885-886-887-888-889-890-891-892-893-894-895-896-897-898-899-900-901-902-903-904-905-906-907-908-909-910-911-912-913-914-915-916-917-918-919-920-921-922-923-924-925-926-927-928-929-930-931-932-933-934-935-936-937-938-939-940-941-942-943-944-945-946-947-948-949-950-951-952-953-954-955-956-957-958-959-960-961-962-963-964-965-966-967-968-969-970-971-972-973-974-975-976-977-978-979-980-981-982-983-984-985-986-987-988-989-990-991-992-993-994-995-996-997-998-999-1000-1001-1002-1003-1004-1005-1006-1007-1008-1009-1010-1011-1012-1013-1014-1015-1016-1017-1018-1019-1020-1021-1022-1023-1024-1025-1026-1027-1028-1029-1030-1031-1032-1033-1034-1035-1036-1037-1038-1039-1040-1041-1042-1043-1044-1045-1046-1047-1048-1049-1050-1051-1052-1053-1054-1055-1056-1057-1058-1059-1060-1061-1062-1063-1064-1065-1066-1067-1068-1069-1070-1071-1072-1073-1074-1075-1076-1077-1078-1079-1080-1081-1082-1083-1084-1085-1086-1087-1088-1089-1090-1091-1092-1093-1094-1095-1096-1097-1098-1099-1100-1101-1102-1103-1104-1105-1106-1107-1108-1109-1110-1111-1112-1113-1114-1115-1116-1117-1118-1119-1120-1121-1122-1123-1124-1125-1126-1127-1128-1129-1130-1131-1132-1133-1134-1135-1136-1137-1138-1139-1140-1141-1142-1143-1144-1145-1146-1147-1148-1149-1150-1151-1152-1153-1154-1155-1156-1157-1158-1159-1160-1161-1162-1163-1164-1165-1166-1167-1168-1169-1170-1171-1172-1173-1174-1175-1176-1177-1178-1179-1180-1181-1182-1183-1184-1185-1186-1187-1188-1189-1190-1191-1192-1193-1194-1195-1196-1197-1198-1199-1200-1201-1202-1203-1204-1205-1206-1207-1208-1209-1210-1211-1212-1213-1214-1215-1216-1217-1218-1219-1220-1221-1222-1223-1224-1225-1226-1227-1228-1229-1230-1231-1232-1233-1234-1235-1236-1237-1238-1239-1240-1241-1242-1243-1244-1245-1246-1247-1248-1249-1250-1251-1252-1253-1254-1255-1256-1257-1258-1259-1260-1261-1262-1263-1264-1265-1266-1267-1268-1269-1270-1271-1272-1273-1274-1275-1276-1277-1278-1279-1280-1281-1282-1283-1284-1285-1286-1287-1288-1289-1290-1291-1292-1293-1294-1295-1296-1297-1298-1299-1300-1301-1302-1303-1304-1305-1306-1307-1308-1309-1310-1311-1312-1313-1314-1315-1316-1317-1318-1319-1320-1321-1322-1323-1324-1325-1326-1327-1328-1329-1330-1331-1332-1333-1334-1335-1336-1337-1338-1339-1340-1341-1342-1343-1344-1345-1346-1347-1348-1349-1350-1351-1352-1353-1354-1355-1356-1357-1358-1359-1360-1361-1362-1363-1364-1365-1366-1367-1368-1369-1370-1371-1372-1373-1374-1375-1376-1377-1378-1379-1380-1381-1382-1383-1384-1385-1386-1387-1388-1389-1390-1391-1392-1393-1394-1395-1396-1397-1398-1399-1400-1401-1402-1403-1404-1405-1406-1407-1408-1409-1410-1411-1412-1413-1414-1415-1416-1417-1418-1419-1420-1421-1422-1423-1424-1425-1426-1427-1428-1429-1430-1431-1432-1433-1434-1435-1436-1437-1438-1439-1440-1441-1442-1443-1444-1445-1446-1447-1448-1449-1450-1451-1452-1453-1454-1455-1456-1457-1458-1459-1460-1461-1462-1463-1464-1465-1466-1467-1468-1469-1470-1471-1472-1473-1474-1475-1476-1477-1478-1479-1480-1481-1482-1483-1484-1485-1486-1487-1488-1489-1490-1491-1492-1493-1494-1495-1496-1497-1498-1499-1500-1501-1502-1503-1504-1505-1506-1507-1508-1509-1510-1511-1512-1513-1514-1515-1516-1517-1518-1519-1520-1521-1522-1523-1524-1525-1526-1527-1528-1529-1530-1531-1532-1533-1534-1535-1536-1537-1538-1539-1540-1541-1542-1543-1544-1545-1546-1547-1548-1549-1550-1551-1552-1553-1554-1555-1556-1557-1558-1559-1560-1561-1562-1563-1564-1565-1566-1567-1568-1569-1570-1571-1572-1573-1574-1575-1576-1577-1578-1579-1580-1581-1582-1583-1584-1585-1586-1587-1588-1589-1590-1591-1592-1593-1594-1595-1596-1597-1598-1599-1600-1601-1602-1603-1604-1605-1606-1607-1608-1609-1610-1611-1612-1613-1614-1615-1616-1617-1618-1619-1620-1621-1622-1623-1624-1625-1626-1627-1628-1629-1630-1631-1632-1633-1634-1635-1636-1637-1638-1639-1640-1641-1642-1643-1644-1645-1646-1647-1648-1649-1650-1651-1652-1653-1654-1655-1656-1657-1658-1659-1660-1661-1662-1663-1664-1665-1666-1667-1668-1669-1670-1671-1672-1673-1674-1675-1676-1677-1678-1679-1680-1681-1682-1683-1684-1685-1686-1687-1688-1689-1690-1691-1692-1693-1694-1695-1696-1697-1698-1699-1700-1701-1702-1703-1704-1705-1706-1707-1708-1709-1710-1711-1712-1713-1714-1715-1716-1717-1718-1719-1720-1721-1722-1723-1724-1725-1726-1727-1728-1729-1730-1731-1732-1733-1734-1735-1736-1737-1738-1739-1740-1741-1742-1743-1744-1745-1746-1747-1748-1749-1750-1751-1752-1753-1754-1755-1756-1757-1758-1759-1760-1761-1762-1763-1764-1765-1766-1767-1768-1769-1770-1771-1772-1773-1774-1775-1776-1777-1778-1779-1780-1781-1782-1783-1784-1785-1786-1787-1788-1789-1790-1791-1792-1793-1794-1795-1796-1797-1798-1799-1800-1801-1802-1803-1804-1805-1806-1807-1808-1809-1810-1811-1812-1813-1814-1815-1816-1817-1818-1819-1820-1821-1822-1823-1824-1825-1826-1827-1828-1829-1830-1831-1832-1833-1834-1835-1836-1837-1838-1839-1840-1841-1842-1843-1844-1845-1846-1847-1848-1849-1850-1851-1852-1853-1854-1855-1856-1857-1858-1859-1860-1861-1862-1863-1864-1865-1866-1867-1868-1869-1870-1871-1872-1873-1874-1875-1876-1877-1878-1879-1880-1881-1882-1883-1884-1885-1886-1887-1888-1889-1890-1891-1892-1893-1894-1895-1896-1897-1898-1899-1900-1901-1902-1903-1904-1905-1906-1907-1908-1909-1910-1911-1912-1913-1914-1915-1916-1917-1918-1919-1920-1921-1922-1923-1924-1925-1926-1927-1928-1929-1930-1931-1932-1933-1934-1935-1936-1937-1938-1939-1940-1941-1942-1943-1944-1945-1946-1947-1948-1949-1950-1951-1952-1953-1954-1955-1956-1957-1958-1959-1960-1961-1962-1963-1964-1965-1966-1967-1968-1969-1970-1971-1972-1973-1974-1975-1976-1977-1978-1979-1980-1981-1982-1983-1984-1985-1986-1987-1988-1989-1990-1991-1992-1993-1994-1995-1996-1997-1998-1999-2000-2001-2002-2003-2004-2005-2006-2007-2008-2009-2010-2011-2012-2013-2014-2015-2016-2017-2018-2019-2020-2021-2022-2023-2024-2025-2026-2027-2028-2029-2030-2031-2032-2033-2034-2035-2036-2037-2038-2039-2040-2041-2042-2043-2044-2045-2046-2047-2048-2049-2050-2051-2052-2053-2054-2055-2056-2057-2058-2059-2060-2061-2062-2063-2064-2065-2066-2067-2068-2069-2070-2071-2072-2073-2074-2075-2076-2077-2078-2079-2080-2081-2082-2083-2084-2085-2086-2087-2088-2089-2090-2091-2092-2093-2094-2095-2096-2

KAISER ALUMINUM FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

Kaiser Aluminum
Trentwood Works
Spokane, WA 99215-5108
(800) 367-2586

CUSTOMER PO NUMBER: 5400197766-20		WORK PACKAGE:	CUSTOMER PART NUMBER: ALFLR01581		PRODUCT DESCRIPTION: HT Flat Sheet	
KAISER ORDER NUMBER: 1160889	LINE ITEM: 2	SHIP DATE: 11/14/2013	ALLOY: 2024	CLAD: BARE	TEMPER: T3	
WEIGHT SHIPPED: 3293 LB	QUANTITY: 117 PCS EST.	B/L NUMBER: 2044959	GAUGE: 0.0400 IN	WIDTH: 48.000 IN	LENGTH: 144.000 IN	
SHIP TO: COPPER & BRASS SALES 404 CENTURA COURT SPARTANBURG, SC 29303 US			SOLD TO: COPPER & BRASS SALES ATTN: ACCOUNTS PAYABLE P.O. Box 5116 SOUTHFIELD, MI 48086 US			

MHU 1730227: LOT 663172A5: 117 pieces

Certified Specifications

AMS 4037/RevP AMS-QQ-A-250/4/RevA ASTM B 209/Rev10 CMMP 019/RevD CMMP 025/RevU

Test Code: 1504

Test Results:

LOT: 663172A5 CAST: 641 DROP: 27 INGOT: 3

Melted in USA
(ASTM E8/B557)
(EN 2002-1)

Tensile: Temper	Dir/#Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
T3	LT / 02 (Min:Max)	68.1 : 68.2 (470 : 470)	46.0 : 46.1 (317 : 318)	17.1 : 17.8

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.09	0.23	4.7	0.57	1.3	0.01	0.16	0.02	0.01	0.00	TOT 0.03

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
2024	MIN	0.00	0.00	3.8	0.30	1.2	0.00	0.00	0.00	0.00	MAX 0.05
	MAX	0.50	0.50	4.9	0.9	1.8	0.10	0.25	0.15	0.05	TOT 0.15

Aluminum Remainder

Plant Serial: 4315340

Kaiser Order Number: 1160889

Line Item: 2

Page 1 of 2

From: ThyssenKrupp Materials NA

Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2402984673

CstAr CstOr 256039

Wgt.: 55.296 LB Date 02/20/2014

John R. Zambetti

KAISER
ALUMINUM
FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

Kaiser Aluminum
Trentwood Works
Spokane, WA 99215-5108
(800) 367-2586

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC (Kaiser) hereby certifies that metal shipped under this order was melted in the United States of America or a qualifying country per DFARS 225.8/2-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content. This material has been inspected, tested and found in conformance with the requirements of the applicable specifications as indicated herein. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. All metal which is solution heat treated complies with AMS 2772. Any warranty is limited to that shown on Kaiser's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of Kaiser Aluminum Fabricated Products, LLC laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law. ISO-9001:2000 certified.

JAMES HEMENWAY, LABORATORIES SUPERVISOR

[Signature]

Plant Serial: 4315340
Kaiser Order Number: 1160889
Line Item: 2

Page 2 of 2

From: ThyssenKrupp Materials NA
Cust. THYSSENKRUPP MATERIALS NA - ECAD Del.: 2402984673
CstAr CstOr 256039
Wgt.: 55.296 LB Date 02/20/2014

[Signature]

FORM: 1006

WORKORDER:

2402984673

COPPER AND BRASS SALES

MATERIAL TYPE

ALUMINIUM ALLOYS

PRODUCT DESIGNATION

2014 2024 2224 2324 7050 7075 7150 7175 7475 ALUMEC 89 ALUMEC 99 QC-7

"WARNING"

SMALL CHIPS, FINE TURNINGS AND DUST MAY IGNITE READILY. EXPLOSION POTENTIAL MAY BE PRESENT WHEN DUST OR FINES ARE DISPERSED IN THE AIR; FINE, DUST OR MOLTEN ALUMINUM ARE IN CONTACT WITH CERTAIN METAL OXIDES; OR, CHIPS, FINES, DUST OR MOLTEN ALUMINUM ARE IN CONTACT WITH WATER OR MOISTURE. KEEP AWAY FROM IGNITION SOURCE. USE EXPLOSION-PROOF VENTILATION. KEEP MATERIAL DRY.

THIS PRODUCT CONTAINS BERYLLIUM AND COPPER. INHALING BERYLLIUM DUST OR FUMES MAY CAUSE CHRONIC BERYLLIUM DISEASE (CBD), A SERIOUS CHRONIC LUNG DISEASE IN SOME INDIVIDUALS. BERYLLIUM IS A CANCER HAZARD; OVER TIME CBD AND CANCER CAN BE FATAL. TARGET ORGAN IS PRIMARILY THE LUNG. INHALING LARGE AMOUNTS OF COPPER, MAGNESIUM OXIDE, MANGANESE OXIDE, AND ZINC OXIDE FUMES OR DUST MAY CAUSE METAL FUME FEVER WITH FLU-LIKE SYMPTOMS. CHRONIC OVEREXPOSURE TO COPPER MAY CAUSE THICKENING OF THE SKIN; AND SKIN, TEETH, AND HAIR DISCOLORATION. CHRONIC OVEREXPOSURE TO MANGANESE DUST CAN CAUSE CENTRAL NERVOUS SYSTEM DAMAGE, SCARRING OF THE LUNGS AND REPRODUCTIVE HARM IN MALES. TARGET ORGAN IS PRIMARILY THE LUNG, BUT REPEATED HIGH EXPOSURE CAN ALSO AFFECT THE LIVER. CHRONIC OVEREXPOSURE TO IRON OXIDE DUST/FUME MAY CAUSE LUNG SIDEROSIS. CHRONIC OVEREXPOSURE TO SILICON DUST CAN CAUSE CHRONIC BRONCHITIS. OVEREXPOSURE TO AMORPHOUS SILICA CAN CAUSE DRYING OF THE MUCOUS MEMBRANES OF THE EYES, NOSE, AND THROAT.

THIS PRODUCT ALSO CONTAINS NICKEL AND CHROMIUM COMPOUNDS. INHALATION OF NICKEL DUST OR FUME MAY RESULT IN INFLAMMATION OF THE RESPIRATORY TRACT AND CAUSE NASAL AND/OR LUNG CANCER. NICKEL HAS BEEN IDENTIFIED AS A POTENTIAL HUMAN CARCINOGEN. EXPOSURE TO CHROMIUM DUST OR FUMES MAY CAUSE METAL FUME FEVER WITH FLU-LIKE SYMPTOMS AND KIDNEY AND LIVER DAMAGE. UNDER HIGH TEMPERATURES, HEXAVALENT CHROMIUM MAY BE PRODUCED. IF IN THE INSOLUBLE FORM, IT IS A CONFIRMED HUMAN CARCINOGEN. (CALIFORNIA PROPOSITION 65).

IF COATED WITH OIL, MAY CAUSE SKIN IRRITATION/DERMATITIS BY CONTACT. WELDING FUME IS LISTED AS A POSSIBLE CARCINOGENIC TO HUMANS.

READ THE ALUMINIUM/ALUMINIUM ALLOYS MATERIAL SAFETY DATA SHEET (MSDS) ON FILE WITH YOUR EMPLOYER BEFORE WORKING WITH THIS MATERIAL.

* If processing or recycling produces particulate, use exhaust ventilation or other controls designed to prevent exposure to workers. Examples of such activities include melting, welding, grinding, abrasive sawing, sanding and polishing. Any activity which abrades the surface of this material can generate airborne particulate. Use appropriate NIOSH approved respiratory protection (P95; P100 for lead with, quantitative fit testing required) if exposures exceed the permissible limits.

* The Occupational Safety and Health Administration (OSHA) have set mandatory limits on occupational exposures.

* Aluminum, in solid form and as contained in finished products presents no special health risk.

* Sold for manufacturing purposes only. This product can be recycled; contact your sales representative.

For additional information, call or write to Copper and Brass Sales, 22355 West Eleven Mile Road, Southfield, MI 48033, telephone 248-233-5600, or visit our web site @ www.copperandbrass.com.

ALUMINUM LABEL NO. 300-1056

ISSUED 10/01/2008



ADITYA BIRLA HINDALCO INDUSTRIES LIMITED

Seevan Deep Building, 1 Profulla Chandra Sen Sarani,
Kolkata-700071, India. Tel: +91-33-22402210
Fax: +91-33-22804888
Regd. Office: Century Bhuban, Dr. Annie Besant Road, Worli,
Mumbai - 400 028, INDIA.

Page 1 of 2

NAME OF THE PARTY: RYERSON CANADA INC., 161 THE WEST HALL, TORONTO, ONTARIO M5C4V6, CANADA.
PRODUCT: ALUMINIUM SHEET
QTY (MT): 20.923
LC/NO. & DATE: 64487167 Dt. 20.08.2013
INVOICE NO: HSB/R/2014/72

Date: 20-SEP-13

COPY

THE TEST RESULTS OF THE SAMPLES DRAWN AND TESTED IN OUR LABORATORY ARE AS FOLLOWS :

QUALITY CERTIFICATE

SRNO	Package No	Alloy Temper	Net Wt (MT)	Size (mm)	Coil Nos.	Cast No./Heat No.
1	717380184	AA5052, H32	1.487	3048 x 1219 x 2.29	H13RASH0805002	717380184
2	2D0192B0184	AA5052, H32	1.808	3048 x 1524 x 2.54	H13RASH0819010	2D0192B0184
3	3C53084	AA5052, H32	1.487	2438 x 1219 x 2.03	H13RASH0805017	3C53084
4	2D0192B0185	AA5052, H32	1.503	3048 x 1524 x 2.54	H13RASH0819010	2D0192B0185
5	3C53087	AA5052, H32	1.487	2438 x 1219 x 2.03	H13RASH0805017	3C53087
6	717380185	AA5052, H32	1.511	3048 x 1219 x 2.29	H13RASH0805002	717380185
7	717290384	AA5052, H32	1.488	3048 x 1219 x 2.29	H13RASH0805001	717290384
8	717290382	AA5052, H32	1.485	3048 x 1219 x 2.29	H13RASH0805001	717290382
9	2D0193A0182	AA5052, H32	1.47	3048 x 1524 x 2.54	H13RASH0819011	2D0193A0182
10	717380182	AA5052, H32	1.487	3048 x 1219 x 2.29	H13RASH0805002	717380182

CHEMICAL COMPOSITION (%)

Cast No	Si	Pb	Mn	Mg	Cu	Zn	Co	Fe	Ni	Al	Others	Rem. Alum.
1 717380184	.021	.016	.005	2.345	.001	0	0	.005	0	0	0	97.121
2 2D0192B0184	.123	.005	.001	2.412	.01	0	0	.02	0	0	0	96.897
3 3C53084	.2	.00	.137	2.6	.009	0	0	.013	0	0	0	96.397
4 2D0192B0185	.133	.005	.001	2.413	.01	0	0	.02	0	0	0	96.887
5 3C53087	.2	.00	.137	2.4	.009	0	0	.013	0	0	0	96.397
6 717380185	.021	.016	.005	2.345	.001	0	0	.005	0	0	0	97.121
7 717290384	.105	.002	.003	2.328	.001	0	0	.005	0	0	0	96.873
8 717290382	.105	.002	.003	2.328	.001	0	0	.005	0	0	0	96.873
9 2D0193A0182	.178	.001	.006	2.357	.016	0	0	.02	0	0	0	96.88
10 717380182	.021	.016	.005	2.345	.001	0	0	.005	0	0	0	97.121

MECHANICAL PROPERTIES

Cast No	YS (kg/cm2)	TS (kg/cm2)	% Elongation	Hard Test
1 717380184	24.9	0	11.2	0 T Satisfactory
2 2D0192B0184	23.2	0	10.6	0 T Satisfactory
3 3C53084	22.9	0	9.5	0 T Satisfactory
4 2D0192B0185	23.2	0	10.6	0 T Satisfactory
5 3C53087	22.9	0	9.5	0 T Satisfactory
6 717380185	24.5	0	11.2	0 T Satisfactory
7 717290384	23.4	0	10.6	0 T Satisfactory
8 717290382	23.4	0	10.6	0 T Satisfactory
9 2D0193A0182	22.6	0	11.8	0 T Satisfactory
10 717380182	24.5	0	11.2	0 T Satisfactory

OTHER TESTS

Remarks:- (1) RYERSON PO NO.733570 (2) ISSUED BY THE MANUFACTURER.



ADITYA BIRLA HINDALCO INDUSTRIES LIMITED



Jeevan Deep Building, 1 Prafulla Chandra Sen Sarani,
Kolkata-700071, India. Tel: +91-33-22402110
Fax: +91-33-22804808
Regd. Office: Century Bhuvan, Dr. Amle Desai Road, Worli,
Mumbai-400 018, INDIA.

Page 2 of 2

NAME OF THE PARTY : RYERSON CANADA INC., 161 THE WEST HALL, TORONTO, ONTARIO M5C 1V8, CANADA,
PRODUCT : ALUMINIUM SHEET,
QTY (MT) : 20.923
LC/PO. & DATE : 64687167 DL. 20.08.2013
INVOICE NO : HNB/R/2014/72

COPY

QUALITY CERTIFICATE

SRMO	Package No.	Alloy Temper	Net Wt (MT)	Size (mm)	Coil Nos.	Cast No./Heat No.
11	3CS3086	AA3052, H32	1.486	2438 x 1219 x 2.03	H13HASH0805017	3CS3086
12	3CS2991	AA3052, H32	1.517	2438 x 1219 x 2.03	H13HASH0805018	3CS2991
13	2D019280182	AA3052, H32	1.502	3048 x 1524 x 2.54	H13HASH0819010	2D019280182
14	2D0193A0185	AA3052, H32	1.505	3048 x 1524 x 2.54	H13HASH0819011	2D0193A0185
Total-			20.923			

CHEMICAL COMPOSITION (%)

Cast No	Si	Fe	Mn	Pb	Cu	Ca	Cr	Al	Zr	W	Mo	V	Co	Ni	Others	Rem. Alum.
11 3CS3086	.2	.49	.137	2.6	.003	0	0	.013	0	0	0	0	0	0		96.197
12 3CS2991	.2	.49	.137	2.6	.003	0	0	.013	0	0	0	0	0	0		96.197
13 2D019280182	.173	.285	.041	2.613	.01	0	0	.02	0	0	0	.005	0	0		96.807
14 2D0193A0185	.154	.301	.056	2.377	.015	0	0	.02	0	0	0	.005	0	0		96.80

MECHANICAL PROPERTIES

Cast No	UTS (kg/mm2)	PS (kg/mm2)	% Elongation	Read Test
11 3CS3086	22.9	0	9.5	0 T Satisfactory
12 3CS2991	22.4	0	10	0 T Satisfactory
13 2D019280182	23.2	0	10.6	0 T Satisfactory
14 2D0193A0185	22.6	0	11.8	0 T Satisfactory

OTHER TESTS

Remarks:- (1) RYERSON PO NO.736670 (2) ISSUED BY THE MANUFACTURER.





ESSAR STEEL ALGOMA INC., 105 West Street, Sault Ste. Marie, Ontario, Canada P6A 7B4

SO No., Item & Date.: 8017177 000020 2014/01/09	Shipment No. & Date.: 1000083594 2014/01/10	TC No., Date & Time : ESA-128192 2014/01/12 - 08:41:14
Sold to Customer Name and Address : RYERSON INC FINANCIAL DRIVE 7525 BRAMPTON, Ontario, Canada L6Y 5P4	Ship to Customer Name and Address: RYERSON INC FINANCIAL DRIVE 7525 BRAMPTON, Ontario, Canada L6Y 5P4	Customer PO NO./Item: 744335 / 2 BOL NO.: 1000083594 Cust. Part No.: 7804-2405 Carrier : NATIONAL TRANSPORTATION - 1158A
Customer Specification : CR STEEL SHEET Carbon CQ / CS ASTM A1008 CS TY B (2012) Mark Number 7804-2405 Batch Annealed Top Semi Critical Surface Improved Shape Pickled Light Oiled Light Matte Finish Edge Sealant Required Std Thickness Tol		

Supplementary Instructions : Test Cert 1:905-792-1617

Insp T/R : Chemical Analysis

Cust Use : AUTO IMPROVED SHAPE & SURF

ESSAR STEEL ALGOMA INC. HEREBY CERTIFIES THAT THE MATERIAL HEREIN DESCRIBED WAS MADE AND TESTED IN ACCORDANCE WITH THE RULES OF THE SPECIFICATION SHOWN. ALL RESULTS ARE RETAINED IN ACCORDANCE WITH THE COMPANY'S STANDARD RECORD KEEPING PRACTICES. THIS MILL TEST REPORT MAY NOT BE REPRODUCED EXCEPT IN FULL WITHOUT WRITTEN APPROVAL OF ESSAR STEEL ALGOMA INC. IF YOU RECEIVE THIS DOCUMENT AND ARE NOT THE INTENDED RECEIVER, PLEASE CALL (705)945-4095 FOR INSTRUCTIONS ON METHOD OF DISPOSAL OF DOCUMENT.

MEETS EN 10204 3.1
ISO QUALITY AND ENVIRONMENTAL CERTIFICATES AVAILABLE AT WWW.ESSARSTEELALGOMA.COM

ALL HEATS FULLY KILLED.
HEATS INDICATED WITH (*) FINE GRAINED.
HEATS INDICATED WITH (+) MADE IN CANADA WITH DOMESTIC AND NORTH AMERICAN MATERIALS.

Dimensions (T x W x L)	Batch No.	Heat No.-MS	Quantity	Pcs
0.0440" x 48.000"	SAM9918B	3683T3-51	21,740 LB	1

CHEMICAL PROPERTIES															
Heat No. (wt%)	C	Mn	P	S	Si	Cr	Ni	Cu	Mo	Al	Nb	V	B	Ti	N
3683T3 ⁺	0.04	0.26	0.003	0.007	0.020	0.01	0.01	0.01	0.00	0.035	0.000	0.000	0.0000	0.001	0.0033

K. UGHADPAGA
MANAGER METALLURGICAL SERVICES

****WARNING**** THE TEST RESULTS AND VALUES REPORTED HEREIN INDICATE ONLY THAT (1) THE PARTICULAR STEEL FOR WHICH THIS CERTIFICATE IS ISSUED MEETS THE MINIMUM SPECIFIED YIELD STRENGTH AND (2) THE ANALYSIS AND PHYSICAL PROPERTIES OF SUCH STEEL ARE IN CONFORMANCE WITH THE REQUIREMENTS OF THE SPECIFICATION INDICATED. THE RESULTS OR VALUES REPORTED HEREIN CAN NOT BE USED TO QUALIFY THE STEEL FOR ANY SPECIFICATION OTHER THAN THE ONE INDICATED AND CAN NOT BE RELIED UPON FOR ANY PURPOSE (INCLUDING DESIGN OR CALCULATIONS) AS REPRESENTING THE ACTUAL STRENGTH OF SUCH STEEL.

PO/Rel

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Signed by:

Attn: RICK

PART NO.

NO. 8465 P. 2

产品质量证明书 MATERIAL TEST CERTIFICATE

无锡宝昌金属制品有限公司

Wuxi Baichang Metal Products Co., Ltd

PAGE 2 OF 2

单号: EX1309301GS
Order No.
货方: GLOBAL STAINLESS STEEL INC.
Order
用户: GLOBAL STAINLESS STEEL INC.
ONSIGNEE

品名: STAINLESS STEEL SHEETS,
Commodity SLIT EDGE

标准: ASTM A240/A240M
Specification:

牌号: 304
Type
表面加工: 2B
Surface Finish

编号: EX1309301
Invoice No.
发行日期: 2013-10-26
Date

序号 No.	货物编号 Product No.	产品尺寸 Product Size			数量 Number	重量 Weight Kg	拉伸试验 Tensile Test			表面 硬度 Hardness HRB	炉批号 HEAT NO.	化学成分 Chemical Composition (%)							
		厚度 Thickness MM	宽度 Width MM	长度 Length MM			屈服强度 0.2% YS N/mm ²	抗拉强度 TS N/mm ²	延伸率 EL %			C	Si	Mn	P	S	Ni	Cr	N
12	13102612	0.6096	1219.2	2438.4	118	1612	250	690	57	83	A1303883	0.0400	0.390	1.1300	0.0350	0.0010	8.0200	18.120	0.0400
13	13102613	0.6096	1219.2	2438.4	118	1616	250	690	57	83	A1303883	0.0400	0.390	1.1300	0.0350	0.0010	8.0200	18.120	0.0400
14	13102614	0.7620	1219.2	2438.4	88	1644	271	665	58	89.5	A1303883	0.0400	0.390	1.1300	0.0350	0.0010	8.0200	18.120	0.0400
15	13102615	0.7620	1219.2	2438.4	87	1626	271	665	58	89.5	A1303883	0.0400	0.390	1.1300	0.0350	0.0010	8.0200	18.120	0.0400
16	13102616	1.2192	1219.2	2438.4	54	1494	267	695	55	87	A1303987	0.0400	0.530	1.1000	0.0330	0.0010	8.0200	18.160	0.0400
17	13102617	1.2192	1219.2	2438.4	50	1378	267	695	55	87	A1303987	0.0400	0.530	1.1000	0.0330	0.0010	8.0200	18.160	0.0400
18	13102618	1.2192	1219.2	3048	42	1460	267	695	55	87	A1303987	0.0400	0.530	1.1000	0.0330	0.0010	8.0200	18.160	0.0400
19	13102619	1.2192	1219.2	3048	45	1574	267	695	55	87	A1303988	0.0400	0.430	1.1300	0.0380	0.0010	8.0300	18.230	0.0300
20	13102620	1.5240	1219.2	2438.4	43	1485	271	680	52	87	A1303988	0.0400	0.430	1.1300	0.0380	0.0010	8.0300	18.230	0.0300
21	13102621	1.5240	1219.2	2438.4	43	1487	271	680	52	84	A2304006	0.0300	0.440	1.1500	0.0380	0.0010	8.1000	18.250	0.0400
22	13102622	1.9050	1219.2	2438.4	40	1725	268	650	53	84	A2304006	0.0300	0.440	1.1500	0.0380	0.0010	8.1000	18.250	0.0400
23	13102623	1.9050	1219.2	2438.4	41	1755	268	650	53	84	A1303883	0.0400	0.390	1.1300	0.0350	0.0010	8.0200	18.120	0.0400
24	13102624	3.0480	1219.2	3048	17	1482	280	675	54	84	A1303883	0.0400	0.390	1.1300	0.0350	0.0010	8.0200	18.120	0.0400
25	13102625	3.0480	1219.2	3048	19	1656	280	675	54	84	A1303883	0.0400	0.390	1.1300	0.0350	0.0010	8.0200	18.120	0.0400

备注 (Remarks):
1. 尺寸和表面: 合格
Size and Surface: Guaranteed

兹证明所列产品均符合订单和标准的制造要求
WE HEREBY CERTIFY THAT THE MATERIAL HEREIN
HAS BEEN MADE IN ACCORDANCE WITH THE ORDER AND
SPECIFICATION
*此报告仅可完全复制
*The report can only be copied completely

技术本部
TECHNICAL DEPT.

无锡宝昌金属制品有限公司
WUXI BAICHANG METAL PRODUCTS CO., LTD.

FEB. 28. 2014 3:46PM MATERIAL

FEB. 28. 2014 3:45PM

NO. 8465 P. 1

•

THYSSENKRUPP MATERIALS NA

Certificate of Mill Test Results

BL PEC-000000-000

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

॥१॥

Slotted by:

PART NO.

Ann: RICK

[illegible]

Eric Downing

From: David Shepherd
Sent: Tuesday, April 15, 2014 6:01 PM
To: Roberto Fuentes; Eric Downing
Cc: Patrick Smith
Subject: RE: D4093

Eric,

I discussed with Roberto and I think the parts are acceptable as is.
If you want to open the holes to 0.100" to make them look better, then this would also be acceptable.

Regards,
David

From: Roberto Fuentes
Sent: April-15-14 3:32 PM
To: Eric Downing
Cc: Patrick Smith; David Shepherd
Subject: RE: D4093

I like to check with David, I don't think elongation orientation is critical because is along the base. David is ok with that and you don't need to open to 0.100", it is just to run lock wire thru.

Roberto

From: Eric Downing
Sent: April-15-14 3:11 PM
To: Roberto Fuentes
Cc: Patrick Smith
Subject: RE: D4093

Hey Roberto

Could it be possible that we could open the holes to 0.100" to be able to remove the elongation?

From: Eric Downing
Sent: Tuesday, April 15, 2014 5:03 PM
To: Roberto Fuentes
Cc: Patrick Smith
Subject: RE: D4093

Hey Roberto

Here you go I hope this helps. The elongation runs along the part not across it. And both holes are affected.

Downing

From: Roberto Fuentes
Sent: Tuesday, April 15, 2014 4:57 PM

To: Eric Downing
Cc: Patrick Smith
Subject: RE: D4093

Hi Eric,

Can you mark the drawing and point the orientation of the long section where is pointed please. I will let you know after review you sketch and also let me know if one or the two hole is affected.

Roberto

From: Eric Downing
Sent: April-15-14 2:49 PM
To: Roberto Fuentes
Cc: Patrick Smith
Subject: D4093

Good afternoon Roberto

We have a run of D4093-3 that were out sourced for the water jet operation and the 0.080" wire holes are a bit elongated. They are measuring 0.080" across and 0.101" long.

My question is this acceptable or should be scraped please let me know.

Thanks

Eric Downing
QC Coordinator
T: 1-613-632-5200 ext 223
C: 1-613-363-9375
F: 1-613-632-5246
www.dartaero.com
Edowning@Dartaero.com

